### Datasheet and description



## Avide LED Ceiling Lamp Recessed Panel Square ALU 12W CW 6400K

**Product code:** ACRPCW-S-12W-ALU

**Brand link:** avidelighting.com/qr/ACRPCW-S-12W-ALU

**ID:** AB-190518

**Company name:** Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen



Date of issue: 2023-01-20

Page: 1/3

#### **SPECIFICATIONS**

EAN code: 5999562281253

Warranty: 3year(s)
Material: Aluminium
Working temperature: -20 - +40°C

Packaging: 1/b 40/c 1080/p

Certifications: CE

### TECHNICAL DETAILS

Wattage: 12W

Voltage: 220-240V
Beam angle: 120°
Dimmability: No
Lumen output: 960lm
Color temperature: 6 400K

25 000h

Lifetime: Energy class:

Type of LED: SMD IP standard: IP20

#### **BOX PICTURE**



# Datasheet and description



### Avide LED Ceiling Lamp Recessed Panel Square ALU 12W CW 6400K

**Product code:** ACRPCW-S-12W-ALU

**Brand link:** avidelighting.com/qr/ACRPCW-S-12W-ALU

**ID:** AB-190518

**Company name:** Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen



Date of issue: 2023-01-20

Page: 2/3

#### **PRODUCT SIZE**

Width: 166mm
Height: 166mm
Cut out size: 151mm

#### **CARDBOARD BOX**

EAN: 5999562281253 Packaging: 1/b 40/c 1080/p

Dimensions: 170mm x 37mm x 203mm

Net weight:

Gross weight: 287g

#### **PRODUCT PICTURE**



#### PRODUCT OUTLINE

**166 mm** 

166 mm

#### **CARTON**

EAN: 5999562281260 Packaging: 1/b 40/c 1080/p

Dimensions: 870mm x 215mm x 225mm

Net weight:

Gross weight: 11.48kg

#### **PALLET EXAMPLE**

Height:

Width: 120cm (std Euro pallet)
Mepth: 80cm (std Euro pallet)

Cartons per pallet: 27carton/pallet

Cartons per row:

Net weight:

Gross weight: 309.96kg

## Datasheet and description



# Avide LED Ceiling Lamp Recessed Panel Square ALU 12W CW 6400K

**Product code:** ACRPCW-S-12W-ALU

**Brand link:** avidelighting.com/qr/ACRPCW-S-12W-ALU

**ID:** AB-190518

**Company name:** Armin Trade Kft.

**Company address:** Kossuth utca 22 2/4, 4024 Debrecen



Date of issue: 2023-01-20

**Page:** 3/3

#### **PRODUCT DESCRIPTION**