

Avide LED Flood Light Slim 10W CW 6400K

Product code: ABSFLCW-10W
Brand link: avidelighting.com/qr/ABSFLCW-10W
ID: AB-190518
Company name: Armin Trade Kft.
Company address: Kossuth utca 22 2/4, 4024 Debrecen



Date of issue: 2023-01-20

Page: 1/3

SPECIFICATIONS

EAN code: 5999097914220
 Warranty: 3year(s)
 Working temperature: -20 - +40 °C
 Packaging: 1/b 30/c 1320/p
 Certifications: CE

TECHNICAL DETAILS

Wattage: 10W
 Voltage: 85-265V
 Beam angle: 120°
 Dimmability: No
 Lumen output: 910lm
 Color temperature: 6 400K
 Lifetime: 30 000h
 Energy class: G
 Type of LED: COB
 Driver:
 CRI: >80
 IP standard: IP65

BOX PICTURE



Avide LED Flood Light Slim 10W CW 6400K

Product code: ABSFLCW-10W
Brand link: avidelighting.com/qr/ABSFLCW-10W
ID: AB-190518
Company name: Armin Trade Kft.
Company address: Kossuth utca 22 2/4, 4024 Debrecen



Date of issue: 2023-01-20

Page: 2/3

PRODUCT SIZE

Width: 115mm
 Height: 135mm
 Depth: 40mm

CARDBOARD BOX

EAN: 5999097914220
 Packaging: 1/b 30/c 1320/p
 Dimensions: 120mm x 41mm x 140mm
 Net weight: 440g
 Gross weight: 459g

CARTON

EAN: 5999097914237
 Packaging: 1/b 30/c 1320/p
 Dimensions: 320mm x 245mm x 380mm
 Net weight: 13.2kg
 Gross weight: 13.77kg


PALLET EXAMPLE

Height:
 Width: 120cm (std Euro pallet)
 Mepth: 80cm (std Euro pallet)
 Cartons per pallet: 44carton/pallet
 Cartons per row:
 Net weight: 580.8kg
 Gross weight: 605.88kg

PRODUCT PICTURE



PRODUCT OUTLINE



Avide LED Flood Light Slim 10W CW 6400K

Product code:	ABSFLCW-10W
Brand link:	avidelighting.com/qr/ABSFLCW-10W
ID:	AB-190518
Company name:	Armin Trade Kft.
Company address:	Kossuth utca 22 2/4, 4024 Debrecen



Date of issue: 2023-01-20

Page: 3/3

PRODUCT DESCRIPTION

The battery-operated Avide COB LED floodlights enable portable, mobile use. Brightness is adjustable in two stages. They can provide the same brightness as traditional halogen floodlights but with much lower power consumption; thus when operated from a battery, they can ensure a longer operating time. The battery of the floodlight can be fully charged in 3 hours and with one full charge it can operate for up to 5 hours. COB (chip-on-board) represents one of the most recent LED technologies, focusing the emitted light much better and thus providing better lighting at a longer distance. LED floodlights can provide up to 20 times longer lifetime compared to products using traditional light bulbs. Due to its IP65 classification, it is perfectly suitable for both indoor and outdoor use. The edge of the floodlight features a metal frame that makes it possible to be turned and tilted, thus enabling you to adjust the adequate lighting angle.

The LED floodlights are sold with a 30 cm long cable end and the plug is not included in the package! The product may only be installed by a professional! Any operation with the power on carries the hazard of an electric shock.

The Avide COB Floodlights are available in neutral white (NW) / cold white (CW) color temperatures in 10W / 20W / 30W / 50W / 80W / 100W / 150W power output versions. The "SLIM" design is also available in neutral white (NW) / cold white (CW) color temperatures and a 10W / 20W / 30W / 50W power output.