# Datasheet and description



# Avide LED Flood Light Slim SMD 20W NW 4000K PIR

**Product code:** ABSSFLNW-20W-PIR

**Brand link:** avidelighting.com/qr/ABSSFLNW-20W-PIR

**ID:** AB-190518

**Company name:** Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen



Date of issue: 2023-01-20

Page: 1/3

### **SPECIFICATIONS**

EAN code: 5999097909004

Warranty: 3year(s)
Working temperature: -20 - +40 °C
Packaging:  $1/b \ 30/c \ 720/p$ 

Certifications: CE

### **TECHNICAL DETAILS**

Wattage: 20W

Voltage: 220-240V
Beam angle: 120°
Dimmability: No

Lumen output: 1 600lm
Color temperature: 4 000K
Lifetime: 25 000h

Energy class: F

Type of LED: SMD

Driver: Linear IC

CRI: >80

IP44

IP standard:

#### **BOX PICTURE**



# Datasheet and description



# Avide LED Flood Light Slim SMD 20W NW 4000K PIR

**Product code:** ABSSFLNW-20W-PIR

**Brand link:** avidelighting.com/qr/ABSSFLNW-20W-PIR

**ID:** AB-190518

**Company name:** Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen



Date of issue: 2023-01-20

Page: 2/3

#### **PRODUCT SIZE**

Width: 129mm Height: 145mm Depth: 60mm

#### **CARDBOARD BOX**

EAN: 5999097909004 Packaging: 1/b 30/c 720/p

Dimensions: 135mm x 155mm x 70mm

Net weight: 520g Gross weight: 589g

# PRODUCT PICTURE




### **CARTON**

EAN: 5999097909011 Packaging: 1/b 30/c 720/p

Dimensions: 420mm x 370mm x 330mm

Net weight: 15.6kg
Gross weight: 17.67kg

## PRODUCT OUTLINE



### **PALLET EXAMPLE**

Height:

Width: 120cm (std Euro pallet)
Mepth: 80cm (std Euro pallet)

Cartons per pallet: 24carton/pallet

Cartons per row:

Net weight: 374.4kg
Gross weight: 424.08kg

## Datasheet and description



# Avide LED Flood Light Slim SMD 20W NW 4000K PIR

**Product code:** ABSSFLNW-20W-PIR

**Brand link:** avidelighting.com/qr/ABSSFLNW-20W-PIR

**ID:** AB-190518

**Company name:** Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen



Date of issue: 2023-01-20

Page: 3/3

#### **PRODUCT DESCRIPTION**

The Avide SMD Floodlights are also available with a built-in PIR motion sensor. With the help of the 2 potentiometers on the back of the floodlight the detection distance and lighting length can be set easily to suit your preferences. The floodlights equipped with the PIR motion sensor are suitable for both indoor and outdoor use due to their IP44 classification and they also feature the moveable metal frame that can be used for easy mounting on practically any surface.

The Avide SMD LED floodlights can provide the same brightness as traditional halogen lights but with a much lower power consumption, thus significant savings can be realized with their use. LED floodlights provide up to 20 times longer lifetime compared to products using traditional light bulbs.

The LED floodlights are sold with a 30 cm long cable end and the plug is not included in the package! The product may only be installed by a professional! Any operation with the power on carries the hazard of an electric shock.

The Avide SMD floodlights with a PIR motion sensor are available in neutral white (NW) / cold white (CW) color temperatures in 10W / 20W / 30W power output versions, as well as in a neutral white (NW) color temperature with a 50W power output.