

## Avide LED Downlight 38° Square 7W WW 3000K

Product code:	ALDLS38WW-S-7W
Brand link:	avidelighting.com/qr/ALDLS38WW-S-7W
ID:	AB-190518
Company name:	Armin Trade Kft.
Company address:	Kossuth utca 22 2/4, 4024 Debrecen

QR code:

Date of issue: 2023-01-20

Page: 1/3

#### SPECIFICATIONS

EAN code:	5999097916088
Warranty:	3year(s)
Material:	PC+PC
Working temperature:	-20 -+40°c
Packaging:	1/b 100/c 1600/p
Certifications:	CE

#### **TECHNICAL DETAILS**

Wattage:	7W
Voltage:	100-265V
Beam angle:	38°
Dimmability:	No
Lumen output:	677lm
Color temperature:	3 000K
Lifetime:	25 000h
Energy class:	
Type of LED:	SMD2835
IP standard:	IP20

### **BOX PICTURE**



# avide Þ

## Avide LED Downlight 38° Square 7W WW 3000K

Product code:	ALDLS38WW-S-7W
Brand link:	avidelighting.com/qr/ALDLS38WW-S-7W
ID:	AB-190518
Company name:	Armin Trade Kft.
Company address:	Kossuth utca 22 2/4, 4024 Debrecen

#### QR code:

Date of issue: 2023-01-20

Page: 2/3

#### **PRODUCT SIZE**

Diameter: Height: Cut out size:

90mm 75-85mm

#### CARDBOARD BOX

EAN:	5999097916088
Packaging:	1/b 100/c 1600/p
Dimensions:	125mm x 105mm x 52mm
Net weight:	81g
Gross weight:	107g

# CARTON

EAN:	5999097916095
Packaging:	1/b 100/c 1600/p
Dimensions:	640mm x 290mm x 440mm
Net weight:	8.1kg
Gross weight:	10.7kg

#### PALLET EXAMPLE

Height:	
Width:	120cm (std Euro pallet)
Mepth:	80cm (std Euro pallet)
Cartons per pallet:	16carton/pallet
Cartons per row:	
Net weight:	129.6kg
Gross weight:	171.2kg

### PRODUCT PICTURE



#### PRODUCT OUTLINE



### Avide LED Downlight 38° Square 7W WW 3000K

Product code:	ALDLS38WW-S-7W
Brand link:	avidelighting.com/qr/ALDLS38WW-S-7W
ID:	AB-190518
Company name:	Armin Trade Kft.
Company address:	Kossuth utca 22 2/4, 4024 Debrecen

QR code: Date of issue: 2023-01-20

Page: 3/3

#### **PRODUCT DESCRIPTION**

The Avide spot lamps can be recessed into suspended ceilings and can be fixed easily. The internal part of the frame can be tilted, thus the light of the installed lamp can be directed in the preferred angle for maximum light utilization. Its light is directed, emitting light at an angle of 38 ° in a focused way. Also ideal for lighting narrower spaces, including kitchen counters and cabinets with a mirror. Available both in round and square form.